

Automation & regulation  
solutions adapted  
to your needs.





## Its intelligence shines through.

INTELLIPOOL® fully exploits communication between PENTAIR "INTELLI" devices and remotely informs you of the quality of your water.

PENTAIR.COM  
PENTAIRPOOLEUROPE.COM



INTELLIPOOL®  
Complete and smart automation  
system Pentair "INTELLI" devices



# INTELLIPOOL®

## AUTOMATION SYSTEM

TRADEGRADE



Control of the filtration cycles, water temperature and lights.



Control and diagnostics for IntelliFlo® variable speed pumps.



Disinfection via control of a salt chlorine generator or a dosing pump (accessories supplied separately).



pH control via a dosing pump (supplied separately).



Control and advanced diagnostics for the Intelli-Chlor® salt chlorine generator.



System can be wirelessly connected to the home internet box, offering control at any moment, anywhere, or from a PC, smartphone or tablet.




Professionals can control and perform maintenance operations remotely.










































You are informed of the conditions of your pool and equipment in real time.

1. Water temperature
2. External temperature
3. Information on the pool cover position
4. pH, RedOx and conductivity readings
5. Flow information
6. pH level information
7. pH regulation
8. Control of INTELLIFLO® pumps
9. Disinfection by electrolyser or dosing pump
10. Heating control
11. Programming of backwash and control of automatic valves
12. Lighting control



## COMPATIBLE ACCESSORIES

	 SOLEO®	 SPEEDED®	 Peristaltic dosing pump	 Probe Holder Kit	 ICHLOR/SC-75	 INTELLICHLOR®	 Speed FC	 4X Extension	 UltraTemp®-E	 Intelliflo® VSF & VSD2	 e-BOX
SOLEO®											
SPEEDED®											
MAESTRO®											
INTELLIPOOL®											

## COMPATIBILITY ACCORDING TO YOUR PUMP TYPE


SINGLE-SPEED PUMP		ALL VARIABLE SPEED PUMPS		PENTAIR INTELLIFLO® PUMP	
Automation		Automation		Automation	
 SOLEO®	 MAESTRO®	 SOLEO® VS (SOLEO® + SPEEDED®)	 MAESTRO® + Speed FC	 SOLEO® VS (SOLEO® + SPEEDED®)	 INTELLIPOOL®

# e-BOX

## POWER CABINET

NEW  
2019

TRADEGRADE



The first power cabinet “Plug and Play” combined with intelligent control, available for the SOLEO® VS, MAESTRO® and INTELLIPOOL® and tailored to include all possible present and future connections.

Plug and play.

Wired for all types of installations.

Enhanced safety.

1. Pool pumps
2. Control of automatic valves
3. salt Chlorine Generator
4. Heat pumps
5. Lighting
6. Booster
7. Dosing pump
8. pH level information
9. pH, RedOx and conductivity readings
10. Flow information
11. External temperature
12. Water temperature
13. Information on the pool cover position

# Smart, Sustainable Water Solutions. **FOR LIFE.**



**Customer Service:**

+39 050716166  
+39 050716169  
orders.pooleu@pentair.com

poolemea@pentair.com  
www.pentairpooleurope.com

Copyright - Limited licence: except as specifically permitted herein, no portion of the content of this document may be reproduced in any form or by any means without the prior written consent of PENTAIR International SRL.  
Automation / Filters / Filtration systems / Pumps / Heat pumps / Cleaners / Recessed accessories / Lighting / Dosing units / Salt chlorinators / Dosing and measurement equipment / Maintenance material / Water animations

NVA-BR-AUTOM-EN © 2019 Pentair International SRL. All Rights Reserved.

© Pentair | Non-contractual photos - © Photos: Pentair | Adobe Stock - technical characteristics are issued subject to typographical errors. Diagrams for example only, non-exhaustive.